

Annexure-V

Clinical Material in Hospital

A.Y. 2026-27

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027.

Clinical Material In Hospital

Name of College/Institute: - Shri Pandurang Pratishthan's, Karmayogi Institute of Nursing.
Faculty: - Nursing UG

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	Available	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Available	YES
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual 1:3		Adequate
c.	Average Bed Occupancy in 85% : (Minimum 75%)	Available	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Yes	Adequate
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:-



(Signature)
PRINCIPAL
Karmayogi Institute of Nursing
Shelve-Pandharpur

Chairman of LIC

Member Of LIC

Member Of LIC



KARMAYOGI

Shri Pandurang Pratishthan Pandharpur

KARMAYOGI INSTITUTE OF NURSING (B.Sc)

MUHS Affiliation Code : 152149, CET Cell Admission Code: 9415

श्री पांडुरंग प्रतिष्ठान, पंढरपूर

कर्मयोगी इन्स्टिट्यूट ऑफ नर्सिंग (बी.एस्सी.)

एम यु एच एस संलग्नता क्र.: १५२१४९, सी ई टी सेल एडमिशन क्र.९४१५

Phone No. 7767003431

kin_2020@yahoo.com

Hospital Details

a) Parent Hospital

Sr.No	Name of Hospital	No of Beds
1	Kane's Gayatri Superspeciality Hospital,Pandharpur	100

b) Affiliated Hospital

Sr.No	Name of Hospital	No of Beds
1	Navjeevan Children Hospital,Pandharpur	90
2	Tulip Superspeciality Hospital,Pandharpur	50
3	Mohite Hospital,Pandharpur	50
4	Manodaya Hospital,Pandharpur	50
5	Samarth Hospital , Pandharpur	50



[Signature]
PRINCIPAL

Karmayogi Institute of Nursing
Shelve-Pandharpur

Noted and Registered at
 Serial No. 648/23
 Date 12 JUL 2023

Page No



महाराष्ट्र MAHARASHTRA
 23 MAR 2023
 उपकोषागार अधिकारी, पंढरपूर

Carmen B Dandol

2022 U
 श्री पांडुरंग प्रतिष्ठान, पंढरपूर. दिनांक 39AA 508152

रा. गट नं. 125, म. पो. लोळेवे. ता. पंढरपूर.
 यांनी जनरल स्टॅम्प रु. - - चा मागितलेवरून हा
 रु. - - चा भरतीस रु. - - चे स्टॅम्प दिले

[Signature]
 य.क.कुलकर्णी मुद्रांक विक्रेता
 कोठ नं. 2909008
 परवाना दि. 28/01/1999
 तहसिल कार्यालय, पंढरपूर

Memorandum of understanding
 between
 Shri. Pandurang Pralishthan Pandharpur
 and

Dr. Surendra Shripad Kane, Gayatri Superspecialty hospital, Pandharpur.

Here after called as MOU for association of Shri. Pandurang Pralishthan Pandharpur registered under societies registration act and the Bombay public trusts act and having its registered office at Pandharpur, for its Karmayogi Institute of Nursing, here after called as the host or party 1 with Dr. Kane, Gayatri Superspecialty hospital, Pandharpur registered under Bombay Nursing Act.

[Signature]
 Jubeda Aij Shaikh
 Advocate & Notary
 - Govt of India



[Signature]
 PRINCIPAL
 Karmayogi Institute of N



11. Termination:

In case this MOU is not viable to the Parties here to for any reasons what so ever, the Party shall be at liberty to termination this MOU by giving six months' notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the trust will have legal obligation to make good the same in totality. The decision of hospital shall be final in this regards, In case of any dispute the parties will be subject to jurisdiction of Pune Court.

Signature on behalf of affiliated Hospital

[Handwritten Signature]

DR. KANES'

NOTARY SUPER SPECIALITY HOSPITAL
NEW KARAD W. NORTH ROAD,
PANDHARPUR - 413304
Reg. No. 17/2023

Date:

Place: Pandharpur

Signed in presence of Witness

1. Sowant R. B

[Handwritten Signature]

2. Shete A. N

[Handwritten Signature]

Solemnly affirmed and signed before me by the parties on this day of July 12, 2023 in my office.

Identified By,

[Handwritten Signature]
नंदकुमार कुलकर्णी
(स्टॅम्प ऑफ ई-रजिस्ट्रेशन)
तहसिल कारवार, जिल्हा कारवार
मो.नं.9800000000

Signature on behalf of The trust

[Handwritten Signature]

Secretary

Name:
Shri Pandurang Pratishthan Pandharpur
Shelve-Pandharpur.



[Handwritten Signature]
S. B. Kaware

Signed before me wife is identified by *[Handwritten Signature]*

[Handwritten Signature]



[Handwritten Signature]
Jubeda Aji Shaikh
Advocate & Notary
Notary Govt. of India

Aji Building, Colade Plot Pandharpur,
Dist. Karwar - 413304, (Maharashtra)
Mango 1/c



DSP

PRINCIPAL

Karmaveer Institute of Nursing
Shelve-Pandharpur



आरोग्य विभाग जिल्हा परिषद, सोलापूर.

प्रपत्र - ३
(विभाग - ५ अन्वये)



महाराष्ट्र सुशुद्ध-पूढ नोंदणी अधिनियम १९४९ (सुशुद्धित विभाग २०२१) चे कलम ५ अन्वये

नॉर्मल प्रमाणपत्र

प्रमाणपत्र देण्यात येते आहे. डॉ. सुंदर भीपाद काठ
 शैक्षणिक अर्हता MBBS DGO यांनी, महाराष्ट्र सुशुद्ध-पूढ नोंदणी अधिनियम १९४९ खाली आरोग्य संस्थेचे
 नांव डॉ. काठेज्वाळी सुपरस्पेशालिटी हॉस्पिटल प्रा. को. टाकळी तालुका पंढर
 जिल्हा - सोलापूर. नर्सिंग हॉस्पिटल कामकाजांतर्गत नोंदणी करण्यात आलेली आहे. आणि सतर रुग्णालय/दवाखाना नर्सिंग हॉस्पिटल
 कामकाजासाठी त्यांना हे प्रमाणपत्र देण्यात येत आहे.

नोंदणी क्र. :- 17 / 2023
 नोंदणीची दिनांक :- 15 / 02 / 2023
 ठिकाण :- सोलापूर.
 प्रमाणपत्र दिवशी तारीख :- 15 / 02 / 2023 ते
31 / 3 / 2023 पर्यंत कार्यवाहीत राहील.

प्रसुतीसाठी :- 30 कॉटस
 इतर रुग्णांसाठी :- 70 कॉटस

Shive

नोंदणी अधिकारी
 तथा जिल्हा आरोग्य अधिकारी
 जिल्हा परिषद, सोलापूर.



पुढील नुसतीकरण

क्र.सं.	वर्ष	प्रमाण नं. व दि.	जि.आ.अभि. सही
1	202	31/3/202	
1	202	31/3/202	
1	1		

- नोंदणी प्रमाणपत्र प्रोव्हिडन्स / दवाखान्याच्या दर्जने व प्रमाणपत्र दिलेले तथा ठिकाणी तत्सम बंधनकारक आहे.
- आपल्या आरोग्य संस्थेत सामान्य संदर्भित्य रुग्णांची भाहिली (Notifiable Diseases) संबंधित मासिक आरोग्य केंद्र / उपकेंद्र / प्राथमिक रुग्णालयात नोंदणीचे बंधनकारक आहे.
- जन्म - मृत्यू नोंदी संबंधित प्रमाणपत्रातील वेळेवर आरोग्यीय आपल्यावर बंधनकारक आहे.
- सुदृढ कल्याण (पु/अ) यंत्रणेच्या आरोग्यकेंद्रात प्रमाणपत्र सादर करणे संबंधित मासिक आरोग्य केंद्रात नोंदणीचे बंधनकारक आहे.
- सर्व्हेट कार्ये करताना नर्सिंग हॉस्पिटल नर्सिंग विभाग किंवा रुग्णालयात अटीवर नोंदणी देण्यात आलेली आहे.
- राज्यातील सर्व ठिकाण १९५८ क्र. ३२ व ४१/२०१६ या अधिनियम अन्वये कार्यवाहीत राहिलेले आहे.
- आपल्या संस्थेत नोंदणी करताना नर्सिंग विभाग किंवा रुग्णालयात नोंदणीचे बंधनकारक आहे.
- सर्व आरोग्य संस्थेत महाराष्ट्र सुशुद्ध-पूढ नोंदणी (सुशुद्धित विभाग २०२१) अधिनियम चे कलम ५ अन्वये उद्भवण प्रसुती व इतर रुग्णांसाठी नोंदणीचे बंधनकारक आहे. आणि सतर रुग्णालय/दवाखाना नर्सिंग हॉस्पिटल कामकाजासाठी त्यांना हे प्रमाणपत्र देण्यात येत आहे. आणि सतर रुग्णालय/दवाखाना नर्सिंग हॉस्पिटल कामकाजासाठी त्यांना हे प्रमाणपत्र देण्यात येत आहे.



Shive
 PRINCIPAL
 Karmayogi Institute of Nursing
 Shive-Pandhara

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 29/03/2023

No:- Format1.0/PSO/UAN No.0000154651/CO/2303002430

To,
Gaytri Superspecialty Hospital,
Gat No 40, 1A ,2B Plot No 4 ,5, 6, 16, 17,
New Karad Naka,
Korti Road, Takali,
Tal:- Pandharpur,
Dist.- Solapur - 413304.
Email:dranilpawar77@gmail.com
Contact No.:9422066378



महाराष्ट्र पब्लिक सर्विस अक्ट
Right to Public Service Act
Your Service is Our Duty

Grant of Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000154651& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 30/11/2022

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **29-03-2023** To **31-03-2029**
2. The capital investment of the HCF is **₹350.00** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1483.00 M² with Built-up area 3007.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** 17/2023.
 - I. General Beds : **55 Nos**
 - II. ICU/ICU Beds : **30 Nos**
 - III. Operation Theatre : **5 Nos**
 - IV. Maternity Beds : **10 Nos**




PRINCIPAL
Karmayogi Institute of Nursing
Shelve-Pandharpur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant.
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




PRINCIPAL
Karmayogi Institute of Nursing
Sheive-Pandharpur

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended,



Sudata
PRINCIPAL
Karmayogi Institute of Nursing
Shri Chhatrapati Shivaji Maharaj
Nashik, Maharashtra

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



Subal
PRINCIPAL
Karmayogi Institute of Nursing
Shilho-Pandharpur

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean Systems India Pvt. Ltd., Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).



Subal
PRINCIPAL
Karmayogi Institute of Nursing
Solapur, Maharashtra

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	150.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	300.00		
		d) Expired or Discarded Medicines	80.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	75.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	250.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Metallic body implants	10.00		



[Signature]
 MUNICIPAL
 Karmayogi Institute of Nursing
 Solapur, Maharashtra

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set (125 KVA)	Diesel	10.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Sufato
PRINCIPAL
Karmayogi Institute of Nursing
Sholva-Pandharpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	35.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	28	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



[Signature]
 HOSPITAL
 Karmayogi Institute of Nursing
 Shelve-Pandharpur

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2211004417	30/11/2022	Online Payment

You have submitted Consent & BMW Authorization fees of Rs. 75,000/-. For this application Consent fee of Rs. 45,000/- & penal fee of Rs. 7,397/- is considered & remaining fees of Rs. 22,603/- will be considered during next application.

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.




PRINCIPAL
Karmayogi Institute of Nursing
Shelva-Pandharpur

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per the required information uploaded by HCE dated 29.03.2023, Bank Guarantee of Rs. 1.0 Lakh for installation of Sewage Treatment Plant & bank Guarantee of Rs. 50,000 for providing separate BMW storage arrangement are eligible to release.
18. Penal fees for delay in submission of application for operating HCE prior to obtaining CCA from Board of Rs. 7,397/- has been received by Board.
19. You shall submit Bank Guarantee of Rs. 1,00,000/- towards compliance of condition mentioned at Schedule - III to Regional Officer, Mumbai within 15 days.
20. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Mumbai for verification purpose.



45171d1d
5e0fb45e
a47e1154
da026ab1
8a4ea22c
e815512b
ac62c018
4597c2fa

Signed by: Dr. J.B. Sangewar
Principal Scientific Officer
for and on behalf of,
Maharashtra Pollution Control Board
psob@mpcb.gov.in
2023-03-29 16:54:07 IST



PRINCIPAL
Karmayogi Institute of Nursing
Sheive-Pandharpur

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 35.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		10	Kg/Day	Gardening & manure.

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).



Subal
PRINCIPAL
Karmayogi Institute of Nursing
Solapur, Maharashtra

Noted and registered at
Serial No. 790/25-
Date 22 JUN 2022

एक सौ रुपये Rs. 100
रु. 100 ONE HUNDRE

Yasin Aij Shaikh
Panchajanya
Maharashtra
Reg. No. 5062
Ex. No. 1247
NOTARIAL Notary

Yasin Aij Shaikh
Panchajanya
Maharashtra
Reg. No. 5062
Ex. No. 1247
NOTARIAL Notary



महाराष्ट्र MAHARASHTRA
22 DEC 2022
उपकोषागार अधिकारी, पंढरपूर

Dandade Gannan Bhat
for

2022 श्री पांडुरंग प्रतिष्ठान, पंढरपूर.
गट नं. 125, मु. पो. प्रेळवे. ता. पंढरपूर.
दिनांक 7A 099215

रा. _____ ता. _____ जि. _____
यांनी जनरल स्टॅम्प रु _____ चा मागितलेवरून हा
रु _____ चा भरतीस रु _____ चे स्टॅम्प दिले

य.वा.कुलकर्णी मुद्रांक विक्रेता
कोड नं. २५०९००४
परवाना दि. २४/०९/१९९५
तहसिल कार्यालय, पंढरपूर

Memorandum of understanding

between

Shri. Pandurang Pratishthan Pandharpur
and

Dr. Sheetal K. Shah, Navjeevan Children Hospital, Pandharpur.

Here after called as MOU for association of Shri. Pandurang Pratishthan Pandharpur, registered under societies registration act and the Bombay public trusts act and having its registered office at Pandharpur, for-its Karmayogi Institute of Nursing, here after called as the trust or party 1 with Dr. Sheetal K. Shah, Navjeevan Children Hospital, Pandharpur, registered under Bombay Nursing Homes registration act 1949, here after called as hospital or Party 2, for

Sheetal K. Shah
Yasin Aij Shaikh
Advocate & Notary
Notary Govt.

Karmayogi Institute
Sheetal K. Shah
Pandharpur

Safal
PRINCIPAL
Karmayogi Institute of Nursi
Sheetal-Pandharpur

service affiliation of **B.Sc Nursing** (Bachelor of Science in Nursing) educational institute with name **Shri Pandurang Pratishthan Pandharpur's, Karmayogi Institute of Nursing**.

Whereas students of the same Nursing institute have to undergo specialized training and clinical experience in various branches during course of 4 years, the trust has approached to the party 2, the **Dr. Sheetal K. Shah, Navjeevan Children Hospital, Pandharpur**, a super multi-speciality hospital with capacity of 60 beds and whereas the proposal of the trust has been accepted by the hospital under the conditions which are mutually understood and agreed between them and which the parties here to desires to put in writing.

1. The MOU is executed initially for the period of 10 Years from the date of commencement. It may be extended on mutual consent and agreement.
2. This MOU shall come into force and be effective from **28.3.2023** provided the trust gets the recognition of the government of Maharashtra, MUHS Nashik and concerned council for academic year **2023-24** or within the period of 3 year from the date of execution of the MOU.
3. Shri Pandurang Pratishthan Pandharpur's, **Karmayogi Institute of Nursing** shall send its B.Sc Nursing, (Bachelor of Science in Nursing) student for the purpose of training and experience to the hospital or party 2.
4. Students are to be placed for clinical experience.
5. Initially the total number of student placed will be divided in 4 batches and the number may increase in the succeeding year.
6. All students in every wards and OPD would be accompanied by their supervisors of the wards for guiding teaching and demonstrating nursing procedures to the student.
7. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the trust.
8. Rotation of the students will be planned in consultation with the hospital administration.
9. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.Sc Nursing, (Bachelor of Science in Nursing) program are as under.
 - A) MUHS, Nashik.
 - B) Government of Maharashtra Mumbai (DMER)
 - C) India Nursing Council New Delhi.
10. Consideration.

For their purpose of making the hospital available for training to the student and for providing clinical facilities to the **Shri Pandurang Pratishthan Pandharpur**, it is here by understood between the parties that the trust shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the **Karmayogi Institute of Nursing, Pandharpur** by the cheque drawn in favor of **Dr. Sheetal K. Shah, Navjeevan Children Hospital, Pandharpur**, on or before the 10th of the every month.



Dr. Sheetal K. Shah
Principal
Karmayogi Institute of Nursing
Shri Pandurang Pratishthan Pandharpur

Yasin Aji
Advocate & Notary
Govt. of India



3

11. Termination:

In case this MOU is not viable to the Parties here to for any reasons what so ever, the Party shall be at liberty to termination this MOU by giving six months' notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the trust will have legal obligation to make good the same in totality. The decision of hospital shall be final in this regards, in case of any dispute the parties will be subject to jurisdiction of Pune Court.

Signature on behalf of
affiliated Hospital

Signature on behalf of
The trust

Name:
Dr. Shital K. Shah
M.D., D.C.H., D.N.B. (Paed.R.)
Reg. No. 40909
Narayan Children's Hospital
Behind Sargam Cinema, Pandharpur.

Name: *Praveen*
Secretary
Chri Pandurang Pratishthan Pandharpur
Sheive-Pandharpur.

Place: *P-Pur*

Signed in presence of Witness

1. *Savitri Bajendra Bhasat*

[Signature]

2. *Hanuman Vitam Dongre*

[Signature]

Solemnly affirmed and signed before me by the parties on this day of April 28, 2023 in my office.

Identified By
[Signature]

[Signature]

Yasin Ajj Shaikh
Advocate & Notary
Notary Govt. of India
Bhakiapari Manjil, Gatade Plot Pandharpur
Dist. Solapur-413304 (Maharashtra)
Reg. No. 3



22 JUN 2023

22 JUN 2023

Signed before me who is identified
Chri. *[Signature]*



[Signature]
PRINCIPAL
Karmayogi Institute of Nursing
Sheive-Pandharpur



"Duplicate"

सत्यमेव जयते

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक कार्यालय, सोलापूर

प्रपत्र - सी

(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डॉ. शिखर कांतीबाबू शाहा

यांचे लावजीवन विल्हेब मल्टिस्पेशलिटी हॉस्पिटल, पीठरपूर

येथील

नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम घालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र. 25

प्रसूतीच्या रुग्णांकरिता : 00
देवलेल्या खाटांची संख्या

नोंदणी दिनांक 05/04/2007

इतर रुग्णांकरिता वापरात : 90
असलेल्या खाटांची संख्या

05/04/2007

सर्टिफिकेट दिल्याचा दिनांक : 17/04/2023

सदरचे प्रमाणपत्र दिनांक : 31/03/2026 पर्यंत कार्यवाहीत राहिल.

जिल्हा शल्य चिकित्सक
तथा जिल्हा शल्य चिकित्सक

नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
	पासून	पर्यंत	

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- जन्म मृत्यू नोंद संबंधित नगरपालिकेस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- कुटुंब कल्याण (पु./स्त्री) शरदक्रिया आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिटरिंग अॅक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- डायग्नोस्टिकल वेस्ट नियम १९९८ क. ३२ व ३३ २००६ चे पालन करणे बंधनकारक आहे.



PRINCIPAL
Karmayogi Institute of Nursing
Sheik-Pandharpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I

Date: 08/07/2022

No:- Format1.0/PSO/UAN No.0000140731/CR/2207000454

To,
Navjeevan Children Hosptial
C. S. No. 4647/2B/6/2, ,C. S. No. 4647/2B/6/2, College Road,
Behind Saragam Cinema, Pandharpur,
Tal. - Pandharpur, Solapur-413304
Email: drskshah_009@yahoo.com
Contact No.:9822086691



Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. HOD-2102000251 dtd 04.02.2021.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 09/06/2022
3. SCN for refusal dtd 01.07.2022
4. Document uploaded on 04.07.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **21-04-2022 To 21-07-2027**
2. The capital investment of the HCF is **₹98.03 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 314.73 M² with Built-up area 410.08 M².
4. **Activities Included**
 - a. Total Number of Beds : **60 Nos.** (As per BNH certificate no. 25 valid upto 31-03-2023)
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 8.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.



2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (Including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per SRO remark dtd 24.06.2022 the hospital has provided a separate storage facility for Bio-Medical Waste and provided an STP . Hence The Bank Guarantee of Rs.25000/- & Rs. 50000/- are eligible to release imposed towards the provision of separate BMW storage facility and To provide STP respectively.
18. You shall submit the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



[Handwritten Signature]

11845e84
bf20bd33
42d59721
30f2e3c6
24ab32b4
670d8ecf
cbb957cf
d72ffdaa

Signed by: Dr. Amar R. Syrate
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
psobmpcb.gov.in
2022-07-08 17:08:58 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR No	Date	Transaction Type
1	25000.00	TXN2206000787	08/06/2022	Online Payment
2	3360.00	TXN2206003296	30/06/2022	Online Payment
3	25000.00	TXN2206001015	09/06/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



[Handwritten Signature]
Karmayogi Institute of Nursing
Shelve-Pandharpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	8.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	7.00	As per clause 'C'	Partially on land for gardening and excess in Municipal sewer line
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



[Signature]
PRINCIPAL

Karmayogi Institute of Nursing
Sholva-Pandharpur.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D. G. Set (125 KVA)	Diesel	5.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Subodh
PRINCIPAL
Karmayogi Institute of Nursing
Sheikha-Pandharpur

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	
4	Blue	a) Glassware	10.00	Cardboard boxes with Blue coloured marking.	
		b) Metallic body implants	10.00		



Sushil
PRINCIPAL
Karmayogi Institute of Nursing
Shelva-Pandharpur.

SCHEDULE-II

Responsibilities of the HCE Owner and CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean Systems India Pvt. Ltd., Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).
19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity/ Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


PRINCIPAL
 Karmayogi Institute of Nursing
 Shree-Fardharpur



SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.




PRINCIPAL
Karmayogi Institute of Nursing
Shelve-Pandharpur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

This certificate is digitally & electronically signed.




PRINCIPAL
Karmajyoti Institute of Nursing
Shri. Pandharpur



महाराष्ट्र MAHARASHTRA
21 JUN 2023
उपकोषागार अधिकारी, पंढरपूर

© 2022 ©

39A 179725

पंढरपूर अश्र्वी कर्मयोगी प्रतिष्ठान, पंढरपूर.
श्री/सौ. गट नं. 125, सु. पो. शंळवे. ता. पंढरपूर
रा. ठिकाण
किंमत रुपये
स्टॅम्प विक्रीसाठी - सौ. शिंदे एम. बी., पंढरपूर
ला. 983/09, कोठ नं. 2209033
मो. नं. - 9669928489.

कर्मयोगी प्रतिष्ठान
पंढरपूर

Noted and Registered at 02
Serial No. 989/2023
Page No. 70
Date 26 SEP 2023



Memorandum of understanding
between

Shri. Pandurang Pratishthan Pandharpur
and
Tulip Superspeciality Hospital, Pandharpur.

Here after called as MOU for association of Shri. Pandurang Pratishthan Pandharpur, registered under societies registration act and the Bombay public trusts act and having its registered office at Pandharpur, for its Karmayogi Institute of Nursing (BSc.Nursing), here after called as the trust or party 1 with Tulip Superspeciality hospital, Pandharpur, registered under Bombay Nursing Homes registration act 1949, here after called as hospital or Party 2, for service affiliation of BSc.(Nursing) educational institute with name Shri. Pandurang Pratishthan Pandharpur's, Karmayogi Institute of Nursing (BSc.Nursing)



Principal
Karmayogi Institute of Nursing
Sector-Pandharpur

Whereas students of the same BSc.(Nursing) institute have to undergo specialized training and clinical experience in various branches during course of 4 years, the trust has approached to the party 2, the **Tulip Superspeciality hospital, Pandharpur**, a multi-speciality hospital with capacity of 50 beds and whereas the proposal of the trust has been accepted by the hospital under the conditions which are mutually understood and agreed between them and which the parties here to desires to put in writing.



1. The MOU is executed initially for the period of 10 Years from the date of commencement. It may be extended on mutual consent and agreement.
2. This MOU shall come into force and be effective from **24.09.2023** provided the trust gets the recognition of the government of Maharashtra, MUHS Nasik and concerned council for academic year **2023-24** or within the period of 3 year from the date of execution of the MOU.
3. Shri Pandurang Pratishthan Pandharpur's, **Karmayogi Institute of Nursing** shall send its **BSc(Nursing)** student for the purpose of training and experience to the hospital or party 2.
4. Students are to be place for clinical experience.
5. Initially the total number of student placed will be divided in 4 batches and the number may increase in the succeeding year.
6. All students in every wards and OPD would be accompanied by their supervisors of the wards for guiding, teaching and demonstrating nursing procedures to the student.
7. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the trust.
8. Rotation of the students will be planned in consultation with the hospital administration.
9. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the BSc.(Nursing) program are as under.
 - A) MUHS, Nashik.
 - B) Government of Maharashtra Mumbai (DMER)
 - C) State Council of Nursing
10. Consideration.

For their purpose of making the hospital available for training to the student and for providing clinical facilities to the **Shri Pandurang Pratishthan Pandharpur**, it is here by understood between the parties that the trust shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the **Karmayogi Institute of Nursing, Pandharpur** by the cheque drawn in favor **Tulip Superspeciality hospital, Pandharpur**, on or before the 10th of the every month.




Karmayogi Institute of Nursing
Shri Pandurang Pratishthan Pandharpur



11. Termination:

In case this MOU is not viable to the Parties here to for any reasons what so ever, the Party shall be at liberty to termination this MOU by giving six months' notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the trust will have legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case of any dispute the parties will be subject to jurisdiction of Pune Court.

Signature on behalf of
Dr. P. **Tulip Superspeciality Hospital**



Signature on behalf of
The trust

Manu

Name: **B. V. Thopate**
Secretary,

Name:

Date:

Place:

Signed in presence of Witness 1. **Sawant R. B.**

Sawant

2. **Shethe A. N.**

Shethe



Solemnly affirmed and signed before me by the parties on this day of April 28, 2023 in my office.



Shethe

Shethe

Notary Public
Shri. S. S. Chavare
At Solapur

26 SEP 2023

26 SEP 2023



Supal
PRINCIPAL
Karmayogi Institute of Nursing
Shive-Pandharpur



सत्यमेव जयते

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग
जिल्हा शल्य चिकित्सक कार्यालय, सोलापूर



प्रपत्र - सी
(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डॉ. प्रबाल पी. वेंकटराव निकम
यांचे डॉ. निकमराव व्हाणिप सुपर स्पेशॅलिटी हॉस्पिटल, पंढरपूर येथील
नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत
आहे.

नोंदणी क्र. 674


प्रसुतीच्या रुग्णांकरिता : 0
ठेवलेल्या खाटांची संख्या

नोंदणी दिनांक 25/09/2023

इतर रुग्णांकरिता वापरात : 50
असलेल्या खाटांची संख्या

सर्टिफिकेट दिल्याचा दिनांक : 25/09/2023

सदरचे प्रमाणपत्र दिनांक : 31/03/2026. पर्यंत कार्यवाहीत राहील.


जिल्हा शल्यचिकित्सक
तथा जिल्हा शल्यचिकित्सक
सोलापूर

नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
	पासून	पर्यंत	

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- जन्म मृत्यू नोंद संबंधित नगरपालिकेस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- करंट कलमान (ग / सी) अन्वयेत आरक्षणेवारी संबंधित उपजिल्हा / ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.

PRINCIPAL
Karmayogi Institute of Nursing
Shaive-Pandharpur

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 020 - 25811627
Fax: 020 -25811029
Website: <http://mpcb.gov.in>
Email: ropune@mpcb.gov.in



Jog Center, 3rd floor,
Mumbai Pune Road,
Wakdevadi, Pune - 411003.

Date: 21/11/2023

ORANGE/S.S.I

No:- Format1.0/RO/UAN No.0000179298/CO/2311001677

To,
M/s. TULIP SUPER SPECIALITY HOSPITAL
S NO 104/2, PLOT NO 1+/2/1, SHIVKIRTI NAGAR,
PANDHAPUR,
TAL- PANDHARPUR, DIST- SOLAPUR.
Email:tulipsuperspecialityhospital@gmail.com
Contact No.:9822302036



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000179298.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/08/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-08-2023 To 31-08-2027**




PRINCIPAL
Karmayogi Institute of Nursing
Shelva-Pandharpur

2. The capital investment of the HCF is **₹805.80** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 2843.00 M² with Built-up area 1536.94 M².
4. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. BPA0001620202021 valid upto 31-03-2024)
 - I. General Beds : **35 Nos**
 - II. ICU/ICU Beds : **10 Nos**
 - III. Maternity Beds : **5 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
 1. You shall use the fuel for DG set as specified in the **Annexure-II**.
 2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
 3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**
 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
 2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**



f65446db
 aa78032e
 8aac2384
 7ac4508a
 87fc39c4
 0ef4a046
 924e868e
 e4e61191

Signed by: Shri. Ravindra Andhale
 Regional Officer
 For and on behalf of
Maharashtra Pollution Control Board
 ropune@mpcb.gov.in
 2023-11-21 13:14:34 IST



PRINCIPAL
 Karmayogi Institute of Nursing
 Shelve-Pandharpur

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Suyato
PRINCIPAL
 Karmayogi Institute of Nursing
 Solapur

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-21025	23/08/2023	NEFT

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.




Sutail
PRINCIPAL
Karnavyog Institute of Nursing
Shelva-Pandharpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	15.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.5	As per clause 'C'	100% Recycle
2	Trade effluent	12	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Supali
PRINCIPAL
Karmayogi Institute of Nursing
Shikha-Pandharour

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:




Surbato
PRINCIPAL
Karmayegi Institute of Nursing
Shree Panchanan

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	15.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	1.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	15.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	15.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean Systems India Pvt. Ltd., Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.



Signature
PRINCIPAL
 Karnavogel Institute of Nursing
 Shilva-Pandharpur

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.



Karmaveer Institute of Nursing

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Supali
PRINCIPAL
Karmayogi Institute of Nursing
Shalve-Pandharpur

Noted and Registered at

Serial No. 1789/20

Date 22 JUN 2022

22 JUN 2022

Page No. 1



महाराष्ट्र MAHARASHTRA

22 DEC 2022

उपकोषागार अधिकारी, पंढरपूर

Lawyer Bhu Dandot

[Handwritten signature]

2022 श्री पांडुरंग प्रतिष्ठान, पंढरपूर, 4191022
दिनांक 22/12/2022

प्लॉट नं. 125, मु. पो. शेळवे, ता. पंढरपूर

रा. _____ ता. _____ जि. _____

यांनी जनरल स्टॅम्प रु _____ चा मागितलेवरून हा

रु _____ चा भरतीस रु _____ चे स्टॅम्प दिले

य.वा.कुलकर्णी मुद्रांक विक्रेता

कोड नं. 2403008

परवाना दि. 24/09/1994

तहसिल कार्यालय, पंढरपूर

Memorandum of understanding

between

Shri. Pandurang Pratishthan Pandharpur

and

Dr.Mohite P.B,Mohite Hospital, Pandharpur.

Here after called as MOU for association of **Shri. Pandurang Pratishthan Pandharpur**, registered under societies registration act and the Bombay public trusts act and having its registered office at Pandharpur, for its **Karmayogi Institute of Nursing**, here after called as the trust or **party 1** with **Dr.Mohite P.B,Mohite Hospital, Pandharpur**, registered under Bombay Nursing Homes registration act 1949, here after called as

[Handwritten signature]

Yasin Aji Shaikh

Advocate & Notary

Notary Govt. of India

hospital or **Party 2**, for service affiliation of **B.Sc Nursing**.(Bachelor of Science in Nursing) educational institute with name **Shri. Pandurang Pratishthan Pandharpur's Karmayogi Institute of Nursing**.

Whereas students of the same Nursing institute have to undergo specialized training and clinical experience in various branches during course of 4 years, the trust has approached to the party 2, the **Dr.Mohite P.B.Mohite Hospital, Pandharpur**, a super multi-speciality hospital with capacity of 20 beds and whereas the proposal of the trust has been accepted by the hospital under the conditions which are mutually understood and agreed between them and which the parties here to desires to put in writing.

1. The MOU is executed initially for the period of 10 Years from the date of commencement. It may be extended on mutual consent and agreement.
2. This MOU shall come into force and be effective from **28.3.2023** provided the trust gets the recognition of the government of Maharashtra, MUHS Nashik and concerned council for academic year **2023-24** or within the period of 3 year from the date of execution of the MOU.
3. **Shri Pandurang Pratishthan Pandharpur's, Karmayogi Institute of Nursing** shall send its B.Sc Nursing.(Bachelor of Science in Nursing) student for the purpose of training and experience to the hospital or party 2.
4. Students are to be placed for clinical experience.
5. Initially the total number of student placed will be divided in 4 batches and the number may increase in the succeeding year.
6. All students in every wards and OPD would be accompanied by their supervisors of the wards for guiding teaching and demonstrating nursing procedures to the student.
7. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the trust.
8. Rotation of the students will be planned in consultation with the hospital administration.
9. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the B.Sc Nursing.(Bachelor of Science in Nursing) program are as under.
 - A) MUHS, Nashik.
 - B) Government of Maharashtra Mumbai (DMER)
 - C) India Nursing Council New Delhi.
10. Consideration.

For their purpose of making the hospital available for training to the student and for providing clinical facilities to the **Shri Pandurang Pratishthan Pandharpur**, it is here by understood between the parties that the trust shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the **Karmayogi Institute of Nursing, Pandharpur** by the cheque drawn in favor of **Dr.Mohite P.B.Mohite Hospital, Pandharpur**, on or before the 10th of the every month.



Yasin Ajj Shaikh
Advocate & Notary
Notary Govt. of India



11. Termination:

In case this MOU is not viable to the Parties here to for any reasons what so ever, the Party shall be at liberty to termination this MOU by giving six months' notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the trust will have legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case of any dispute the parties will be subject to jurisdiction of Pune Court.

Signature on behalf of Hospital

Signature on behalf of affiliated The trust

Name:

Mohite
Dr. Mohite P. B.
M.D., D.G.O.
Reg.No. 52805

Name:

Pravara
Secretary (ओपरे फाईलिंग ऑफ विद्यार्थी)

Pandurang Pratishthan Pandharpur
Shelve-Pandharpur.

Date:

Place:

Signed in presence of Witness

1. Sawant Rajendra Bharat

Sawant

2. Hanuman Vitam Dongre

Dongre

Solemnly affirmed and signed before me by the parties on this day of April 28, 2023 in my office.

Indemnified By
Yasin Aji Shaikh

Shri. *B. V. Thopale*
Signed before me who is identified by Shri. *Kumar*

Yasin Aji Shaikh

Yasin Aji Shaikh
Advocate & Notary
Notary Govt. of India

Shahaperi Manjil, Gatade Plot Pandharpur
Dist. Solapur-413204 (Maharashtra)
Page No. _____ Date '2023

22 JUN 2023



महाराष्ट्र



शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्यचिकित्सक

श्री.छत्रपती शिवाजी महाराज, सर्वोपचार रुग्णालय सांलापूर

प्रपत्र - सी

(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट १९४९ अन्वये

डॉ. श्री/ श्रीमती पवनकुमार काकडुण मोहिते यांचे
मोहिते होल्डिंग्स, लिमिटेड, पंढरपूर वेधील नर्सिंग होम / मॅटनिटी
होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटनिटी होम चालविण्यास परवानगी देण्यात येत आहे.

नोंदणी क्र - 433

प्रसूतीच्या रुग्णांकरीता :- ००

देवलेल्या खाटांची संख्या

नोंदणी दिनांक - 21/01/2019

इतर रुग्णांकरीता वापरता :- 50

असलेल्या खाटांची संख्या


सर्टीफिकेट दिल्याचा दिनांक :- 21/01/2019
सदरचे प्रमाणपत्र दिनांक :- 31/03/2022

पर्यंत कार्यवाहीत राहिल.

नोंदणी अधिकारी

तथा जिल्हा शल्य चिकित्सक

श्री.छ.शि.म.स.रु.सांलापूर

नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि.श.चि.स्वाक्षरी
	पासून	पर्यंत	
24/03/2022	01/04/2022	31/03/2022	 28/3/2022

- हे प्रमाणपत्र इन्सिटनच्या दर्मनी घागल दिलेल असत ठिकाणी लागूचे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित ज्वरिन्हा / प्राणीय कळविणे गरजेचे आहे.
- जन्म मृत्यू नोंद संबंधित नगरपालिकेस वेळेवर कळविणे आपल्याचा संयोजक आहे.
- मृत्यू कळवणे (पु/कु/सी) शासकीयाची आकडेवारी संबंधित ज्वरिन्हा / प्राणीय रुग्णातकास कळविणे संयोजक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नॉर्सिंग विद्यापीठ ॲक्ट १९५४ नुसार प्रसिद्धित असल्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- साधोवेदीजन्य वेस्ट नियम १९९८ क्र.१२ व ११/२००६ चे पालन करणे संयोजक आहे.

MAHARASHTRA POLLUTION CONTROL BOARD

SUB REGIONAL OFFICE, SOLAPUR.

Tel No. (0217) 2319850
 Email - srosolapur@mpcb.gov.in
 Visit At - www.mpcb.gov.in



4B, Bali Building, Opp. Govt.
 Milk cheme, 3 nd Floor,
 Saat Rasta, Solapur - 413 003.

Red/S.S.I.

Date: 20/10/2022

Consent order No: SRO-SOLAPUR/CONSENT- 22/0001444

7-796

To,

M/s. MOHITE HOSPITAL,
 DR PAWANKUMAR B. MOHITE,
 Link Road, Pandhprur,
 Tal - Pandhprur, Dist - Solapur.



Subject: Combined Consent to Operate and BMW Authorization under Red Category to Health Care Establishment (HCE).

Your Application: MPCB-CONSENT- 0000151075.


For: Combined Consent to Operate and BMW Authorization under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous & other Wastes (Management, Handling & Transport) Rules 2016 and Biomedical Waste (Management) Rules 2016, as amended is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The combined consent to operate and BMW authorization is granted for a period Up to 30/09/2028.
2. The actual capital investment of the Health Care Establishment is Rs. 95.55 Lakhs (As per CA Certificate submitted by applicant)
3. The Combined Consent is valid for the Activity of -

Sr.No.	Activity	Beds
1	Health Care Establishment	20 Nos.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	As per Schedule -I	The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.
2.	Domestic effluent	2.0	As per Schedule -IA	



5. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Number of Stack	Standards to be achieved
--	---	---	---

6. Conditions under Hazardous & other Wastes (M, H & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr. No.	HW category	Type of Waste	Quantity	UOM	Treatment	Disposal
--	--	--	--	--	--	--

7. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
--	--	--	--	--	--

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the Hospital.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. This consent is issued subject to conditions mentioned below,

- i) The "authorized Person" Director Administrator of M/s. _____ shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
- iii) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPB before 31st January every year.
- iv) You shall manage the Mercury Waste in the FCE in environmental manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".


FOR AND ON BEHALF OF M.P.C.B. BOARD



(Ajit Vasant Rao Patil)
Sub-Regional Officer, Solapur

Fees Received:-

Sr. No.	Amount (RS)	Transaction No.	Date
1	18750/-	TXN2210002200	18/10/2022
	12500/-	TXN2210002214	18/10/2022



Kamleshwar Patil
of Nursing

Schedule-I
Terms & Conditions for compliance of Water Pollution Control

1) Trade Effluent :

A) **Treatment:** The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

-----NA-----

B) **Effluent Disposal:** The treated trade effluent shall be recycled to the maximum extent and remaining shall be used on land for gardening. For this sufficient land shall be made available. In no case, at any time effluent shall finds its way to any water body directly or indirectly. -----NA-----


C) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated sewage effluent to the following standards.

(1) Suspended Solids	Not to exceed	50	mg/l.
(2) BOD 3 days 27° C.	Not to exceed	30	mg/l.

Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening plantation only.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 3) The Hospital shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.
- 5) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.



S. S. S.
Municipal
Nursing

II) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Domestic purpose	3.0
2	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
3	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
4	Industrial Cooling, boiler feed etc.,	Nil

As per Ministry of Environment, Forest and Climate Change New Delhi, Notification dtd. 16 March 2018, you shall provide Sewage Treatment Plant up to 31 December 2019.



Signature
Date: 12/12/18

Schedule-II
Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have provided the Air pollution control (APC) system, and also erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Qty.	UOM	S%	SO2 Kg/day
--	--	--	--	--	--	--	--	--

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Director
 Maharashtra Institute of Nursing
 Mumbai

Schedule-III

D) Terms & Conditions for compliance of Biomedical Waste Management

The "authorized Person" Administrator of M/s. MOHITE HOSPITAL, shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.

1. The combined consent is granted for generation and disposal of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Description	Quantity not to exceed (Kg/M)	Segregation (Colour coding)	Treatment & Disposal
1	Yellow	Human Anatomical waste Category-1	2.0	Yellow	Incineration
		Soiled Waste Category-6,7	2.0 & 2.0	Yellow	Incineration
		Expired or Discarded Medicine Category-5	1.0	Yellow	Incineration
		Chemical Liquid Waste Category-8	-	Separate collection system leading to ETP	-
		Clinical Laboratory Waste	-	Yellow	Incineration
2	Red	Contaminated Waste(Recyclable)	-	Red	Autoclaving followed by shredding
3	White	Waste Sharps Category-4	2.0	Blue / white translucent	Disinfection (chemical treatment)and mutilation / shredding
4	Blue	Glassware	-	Yellow	Disinfection/Autoclaving and sent for recycling

No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility i.e. M/s. Bio Clean India System Pvt Ltd. A/p - Bhogaon, Dist - Solapur authorized by MPCB.

3. (i) BMW shall not be mixed with other wastes or reused or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III of BMW Rules 2016.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container

shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) Necessary protective wear for the waste handlers shall be provided by the hospital Authority.
- (vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of thermometers pressure gauges (Sphygmomanometers) other equipments used in health care facilities (HCFs) as well as its storage in accordance with the Hazardous waste (Management & Handling) Rules (presently these Rules has to be read as Hazardous & other Wastes (M, H & T M) Rules 2016 and returning it to the instrument manufacturers apart from necessary taking steps to ensure that the spilled mercury does not become a part of bio-medical or other solid wastes generated from the HCFs.
- (viii) Authorized person shall obtain prior permission from MPCB for generation & disposal, if Bio-Medical waste quantity of category specified exceed the limits authorized at condition No 4 Above.
4. (i) You shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
- (ii) You shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (iii) All records shall be subject to inspection and verification by the prescribed authority at any time.
5. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
6. You shall submit valid registration copy of Bombay Nursing Home Act to Board.
7. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.



[Handwritten Signature]

Nursing
[Faint text]

Schedule-IV : Bank Guarantee

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. _____.

As per Board circular No. MPCB/PSO/BMW/B-1825 Dated. 10 April 2013. You shall submit following bank guarantees to Regional Office, M. P. C. Board, Pune within a 15 days, which valid up to Combined Consent and Authorization validity period to ensure the compliance of following conditions :

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per conditions of authorization/BMW Rules	Continuous	..
I (B)	Records		
1	To Maintain Record of BMW and submission of Annual Report in Form-II before 31 st January.	Continuous	.. via
II	Performance		
1	To provided Separate BMW storage facility	Continuous	..
Bank Guarantee Total Amount of Rs.			-

Note-

- The above Bank Guarantee shall be submitted by the applicant at the Regional Office, M.P.C. Board, Pune within 15 days period of the date of issue of Combined Consent and Authorization (CCA).
- The Bank Guarantee(s) shall be valid up to Combined Consent and Authorization validity period.



S. P. Singh
PRINCIPAL
Karmaveer Institute of Nursing
Solapur




Schedule-V
General Conditions

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Hospital should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The Hospital shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous & other Wastes (M, H & T M) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The Hospital should comply with the Hazardous & other Wastes (M, H & T M) Rules 2016 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous & other Wastes (M, H & T M) Rules 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 11) Hospital shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and Hospital specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 12) The Hospital shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

- 16) Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Hospital should provide acoustic enclosure for control of noise. The acoustic enclosure or acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Hospital should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 17) The Hospital should not cause any nuisance in surrounding area.
- 18) The Hospital shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 65 dB (A) during day time and 55 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment provided for without previous written permission of the Board. The Hospital will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The Hospital shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The Hospital shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The Hospital shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

—0000—




PRINCIPAL
Karmaveer Institute of Nursing
S.



महाराष्ट्र MAHARASHTRA

© 2020 ©

YR 454684

24 SEP 2021

पंढरपूर अ. जे. ता.

जी/सो. शा. तिकाणं

उप कोषागार अधिकारी, पंढरपूर


श्री. पंदुरंग प्रतिसिथान ता.

संस्थेचे कार्यालय

संस्थेचे विक्रेता - सी. शिंदे एस्. बी., पंढरपूर

ला. 983/69, कोड नं. 2409033

मो. नं. - 9889928499.



Memorandum of understanding

between

Shri. Pandurang Pratishthan Pandharpur

and

Dr. Rutuja N. Utpat, Manodaya hospital, Pandharpur.

Noted and Registered at 01	
Serial No	143/2022
Page No	26
Date	30 JAN 2022

Here after called as MOU for association of Shri. Pandurang Pratishthan Pandharpur, registered under societies registration act and the Bombay public trusts act and having its registered office at Pandharpur, for its Karmayogi Institute of Nursing, here after called as the trust or party I with Manodaya hospital, Pandharpur, registered under Bombay Nursing



Homes registration act 1949, here after called as hospital or Party 2, for service attachment of BSc.(Nursing) educational institute with name Shri. Pandurang Pratishthan Pandharpurs, Karmayogi Institute of Nursing.

Whereas students of the same nursing institute have to undergo specialized training and clinical experience in various branches in Psychiatry during course of 4 years, the trust has approached to the party 2, the Manodaya Hospital Pandharpur, a specialized Psychiatry hospital with capacity of 20 beds and whereas the proposal of the trust has been accepted by the hospital under the conditions which are mutually understood and agreed between them and which the parties here to desires to put in writing.

1. The MOU is executed initially for the period of 10 Years from the date of commencement. It may be extended on mutual consent and agreement.
2. This MOU shall come into force and be effective from **01.10.2021** provided the trust gets the recognition of the council for academic year **2022-23** or within the period of 1 year from the date of execution of the MOU.
3. **Shri Pandurang Pratishthan Pandharpurs, Karmayogi Institute of Nursing** shall send its Bsc.(Nursing) Student for the purpose of training and experience to the hospital or party 2.
4. Students are to be place for clinical experience.
5. Initially the total number of student placed will be divided in 4 batches and the number may increase in the succeeding year.
6. All the student in every wards and OPD would be accompanied by their supervisors of the wards for guiding teaching and demonstrating nursing procedures to the student.
7. No students will leave in any ward of department without being supervised by the supervisors appointed for that purpose by the trust.
8. Rotation of the students will be planned in consultation with the nursing service Department of the hospital.
9. Inspection: the authorities appointed by the Government for the purpose of inspection for clinic specialties for the BSc (Nursing) program are as under.
 - A) MUHS, Nashik.
 - B) Indian Nursing Council, New Delhi
 - C) Government of Maharashtra Mumbai (DR/MEDD)
10. The demographic data of the required staff is to be produced at the time of inspection.

11. Consideration.

For their purpose of making the hospital available for training to the student and for providing clinical facilities to the **Shri Pandurang Pratishtan Pandharpur**, it is here by understood between the parties that the trust shall pay a consideration amount of Rs.100/- per month per student during their clinical experience. The amount shall be paid by the **Karmayogi Institute of Nursing, Pandharpur** by the cheque drawn in favor of **Manodaya Hospital, Pandharpur** on or before the 10th of the every month.

12. Termination:-

In case this MOU is not viable to the Parties here to for any reasons what so ever, the Party shall be at liberty to termination this MOU by giving one months' notice in advance to the other party.

In case any damage or loss to the Hospital through any Students the trust will have legal obligation to make good the same in totality. The decision of hospital shall be final in this regards. In case of any dispute the parties will be subject to jurisdiction of Pune Court.

Signature on behalf of
affiliated Hospital

Utpat
Dr. Sujata Utpat
Name:

मनोदय हॉस्पिटल

जुना कराड नाका रोड,

उमा कॉलेज शेजारी, पंढरपूर.

Date: 1/10/21

Place:

Pandharpur

Signed in presence of Witness

1. श्री. जोकाय एकदशदेवडीकर *अरुण*

2. श्री. अजय पोपट कुंभार *अजय*

Solemnly affirmed and signed before me by the parties on this day of October 1st 2021 in my office.

डि. एस. शहा
Signature on behalf of
The trust

Name:

दिलीप शिवराव राहा



BEFORE ME
Chavare
30/11/2022
Shri. P. V. Chavare
Advocate & Notary

Notary Govt. of Maharashtra
715, Govindpura, Pandharpur - 413 304
Dist. Solapur, Reg. No. 1213

30 JAN 2022



Chavare
30/11/2022

Shri. P. V. Chavare
Advocate & Notary
Notary Govt. of Maharashtra
715, Govindpura, Pandharpur - 413 304
Dist. Solapur.

Reg. No. 1213

30 JAN 2022



सत्यमेव जयते

महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग
जिल्हा शल्य चिकित्सक कार्यालय, सोलापूर

प्रपत्र - सी
(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डॉ. अशुजा नारायण उत्पात
यांचे मनोहर हॉस्पिटल, प्रबोक्षणालय व व्यदनमुक्तीकेंद्र, पंढरपूर येथील
नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम घालविण्यास परवानगी देण्यात येत
आहे.

नोंदणी क्र. 529

प्रसूतीच्या रुग्णांकरिता : 00
ठेवलेल्या खाटांची संख्या

नोंदणी दिनांक 01/09/2021

इतर रुग्णांकरिता वापरात : 50
असलेल्या खाटांची संख्या

सर्टिफिकेट दिल्याचा दिनांक : 01/09/2021

सदरचे प्रमाणपत्र दिनांक : 31/03/2025 पर्यंत कार्यवाहीत राहिल.

नोंदणीकृत शल्यचिकित्सक
तथा जिल्हा शल्यचिकित्सक

नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
	पासून	पर्यंत	
31/03/2025	31/03/2025	31/03/2027	

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिशेला अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल सार्वजनिक रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- जन्म मृत्यू नोंद संबंधित नगरपालिकेस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- कुटुंब कल्याण (पु./स्त्री) शाखेच्या आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिडिवाईफस अॅंड हेल्थ विजिटीस अॅक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- बायोमेट्रीकल वेस्ट नियम १९९८ क्र. ३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.

BSPL

Maharashtra Pollution control Board Authorised

BSPLA/B & MF/04-00



BIOCLEAN SYSTEMS (INDIA) PVT. LTD.

CBMWTF



MEMBERSHIP CERTIFICATE

Registration No. :- 4532 Certificate No. :- 2024 - 0154
Name Of Doctor / Director :- Dr. Rujuta Golwalkar Upat
Name Of Institute :- Manoday Hospital
Type Of Institute :- Hospital No. of Bed's 20 (Twenty)
Address / Location :- Near Uma College, Datt Nagar, Old Karad Naka, Pandharpur, Dist Solapur.
Date Of Joining :- 02/03/2019 Date of Renewal 17/03/2024
Validity From :- 01/04/2024 To 31/03/2026



Certify that above Doctor & Institute has been joined to "Bioclean Systems (India) Pvt. Ltd." CBMWTF for Collection, Transportation, Treatment & Disposal of Bio Medical Waste generated at there institute. An application shall be made by The Occupier / Operator for renewal 30 days before expiry of certificate.

Jok
Prepared By

[Signature]
Reviewed By

[Signature]
Authorised By

Office - Plot No. OD-3, Uma Sahakari Gruhnirman Sanstha Maryadit Solapur, T.P. Scheme No. 4, Final Plot No. 125/2, Juni Mill compound, Murarji Peth, Solapur - 413 001 Contact No. : (0217) 2721191, 9146011191, E mail : bspislp@ningroup.co.in


Corp. Office - NIN Group, R.S.No. 1243/36A, 201 & 202, 2nd Floor, Karajgar Chambers, Opp. Kolhapur Engg. Association, Shivaji Udyamnagar, Kolhapur (MH) - 416 008. Contact : 0231 - 2535800 Email - corporate@ningroup.co.in Visit Us - www.ningroup.co.in



महाराष्ट्र MAHARASHTRA

2025

60AB 589850



पंढरपूर अ.क. 8049 2/2/2025 तारीख
 PRINCIPAL
 श्री Karmayogi Institute of Nursing
 हस्ते Shelve-Pandharpur यांनी स्टॅप रु. 900/-
 या मागितलेल्या वस्तूचा धा
 भारतीय रुपये 900/- चा स्टॅप दिला

स्टॅगव्हेंटर- अनिल वसंत गवळी, पंढर
 पत्रक नं. 20/2000 अंबिका, फ्लॉट नं. 34
 शासकिय न्यायत, पंढरपूर. कोड नं. 2409023
 ज्या कारणासाठी यांनी यंत्रणेच्या काना त्यांचे कार्यवाहीसाठी
 मुद्रांक खाती-कल्याणमन 6 माहत्यात वापरणे बंधनकारक आहे

Noted and Registered at	P.Pur
Serial No.	2000
Page No.	
Date	06 MAR 2025

Memorandum of Understanding (MoU)

Between

Karmayogi Institute of Nursing, Shelve, Pandharpur

And

Dr. Dhiraj G. Patil, Samarth Hospital, Pandharpur.

P.T.O

Kalawati Subhash Bhosale
 Advocate & Notary
 Notary Govt. of Maharashtra
 Kesharwala Wada, Room No. 3,
 Station Road, Pandharpur. Dist. Solapur
 Reg. No. 1217

PRINCIPAL
 Karmayogi Institute of Nursing
 Shelve-Pandharpur

This MOU is executed on this 06 day of March 2026 between:

1. **Karmayogi Institute of Nursing, Shelve, Pandharpur**, represented by its Principal/Dean, hereinafter referred to as the "First Party",
AND
2. **Dr. Dhiraj G. Patil, Samarth Hospital, Pandharpur**, represented by its Owner/ Medical Superintendent/Administrator, hereinafter referred to as the "Second Party".

Purpose

To establish an agreement between the First Party and the Second Party for clinical training and practical exposure of students enrolled in the **B.Sc. Nursing program**, as per the norms of the **Indian Nursing Council (INC), New Delhi./ MUHS, Nashik / MNC, Mumbai**

Terms and Conditions

1. **Affiliation:**

Dr. Dhiraj Patil, Samarth Hospital Pandharpur agrees to serve as the **Affiliated Hospital** for the **B.Sc. Nursing program** run by **Karmayogi Institute of Nursing, Shelve, Pandharpur**.

2. **Bed Strength:**

The hospital has a minimum of **50 beds**, with functional departments including:

- o Medicine
- o Surgery
- o Orthopaedics
- o Emergency/Casualty
- o ICU/CCU
- o Operation Theatre
- o Other specialty units as applicable

3. **Clinical Training:**

The hospital agrees to provide full access to clinical training areas as per INC norms and prescribed clinical hours.

4. **Supervision & Guidance:**

The hospital will ensure supervision by qualified nursing professionals and allow coordination between hospital staff and teaching faculty.

5. **Duration:**

This MOU is valid for **10 years** from the date of signing and may be renewed with mutual agreement.



[Signature]
PRINCIPAL


Karmayogi Institute of Nursing
Shelve-Pandharpur


[Signature]
2/-
Kalawati Subhash Bhosale
Advocate & Notary
Notary Govt. of Maharashtra
Kesharwala Wada, Room No. 3,
Station Road, Pandharpur, Dist. Solapur
Reg. No. 1217



- 6. **No Financial Commitment:**
This MOU does not involve any financial transaction unless separately agreed in writing.
- 7. **Responsibilities of the Hospital:**
 - o Permit student access to wards, OTs, ICUs, and departments
 - o Support in health programs and clinical conferences
 - o Assist in evaluation of students' practical performance
- 8. **Responsibilities of the College:**
 - o Ensure students follow hospital rules and maintain discipline
 - o Provide ID cards and official documentation
 - o Coordinate with hospital authorities on schedules and duties
- 9. **Termination Clause:**
Either party may terminate the MOU with **3-month prior written notice**, subject to INC norms.
- 10. **Trust Member Undertaking:**
 - The hospital shall **exclusively** function as the Affiliated Hospital for Karmayogi Institute of Nursing.
 - It shall **not be used** as an Affiliated Hospital by any other nursing college.
 - This arrangement is **valid for a minimum of 10 years**, and an undertaking signed by all members of the Trust will be submitted accordingly.

Signatories


Signed on behalf of:
Karmayogi Institute of Nursing, Shelve, Pandharpur
 Signature: 
 Name: Mr. Balkrishna V. Thopate
 Designation: Secretary.
 Date: 06/03/2026.
 Seal: 

Dr. Dhiraj Patil, Samarth Hospital Pandharpur.
 Signature: 
 Name: Dr. Dhiraj G. Patil
 Designation: CEO & owner
 Date: 06/03/2026.
 Seal: 

Witnesses:
 Explained and Identified by: Mr. Umraj Kulkarni  PRINCIPAL 
 Karmayogi Institute of Nursing
 Shelve-Pandharpur


Kalawati Subhash Bhosale
 Advocate & Notary
 Notary Govt. of Maharashtra
 Kesharwala Wada, Room No. 3,
 Station Road, Pandharpur, Dist. Solapur
 Reg. No. 1217
06 MAR 2026



BEFORE ME

Kalawati Subhash Bhosale
 Advocate & Notary
 Notary Govt. of Maharashtra
 Kesharwala Wada, Room No. 3,
 Station Road, Pandharpur, Dist. Solapur
 Reg. No. 1217



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 020 - 25811627
Fax: 020 - 25811029
Website: <http://mpcb.gov.in>
Email: ropune@mpcb.gov.in



Jog Center, 3rd floor,
Mumbai Pune Road,
Wakdevadi, Pune - 411003.

ORANGE/S.S.I

Date: 21/08/2023

No:- Format1.0/RO/UAN No.0000167619/CO/2308001333

To,
M/s. Samarth Hospital
Opp. Vedant Bhakt Niwas, Bhakti Marg, Pandharpur.
Tal- Pandharpur, Dist Solapur.



Email:dr_dhirajpati@yahoo.co.in
Contact No.:9820904259

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000167619& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 18/05/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(i-IV) and Annexure (i-ii)** enclosed in this order.

1. This CCA shall be in force for a period From **30-04-2022 To 30-04-2028**


PRINCIPAL

Karmayogi Institute of Nursing
Shelve-Pandharpur

2. The capital investment of the HCF is ₹30.13 Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area: - Plot Area 357.00 M² with Built-up area 1207.00 M².

4. **Activities Included**

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 33 valid upto 31-03-2024)

i. General Beds : **50 Nos**

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 10 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	0

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**



PRINCIPAL

Karmayogi Institute of Nursing
Shelva-Pandharpur

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Bioclean Systems India Pvt. Ltd., Solapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
 17. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



71130236
067549a2
e7ebcb17
0e7afb76
5a913577
6d4800db
49b52b59
ae2e2fa6

Signed by: Shankar L. Waghmare
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ropune@mpcb.gov.in
2023-08-21 21:36:14 IST

Shankar L. Waghmare
PRINCIPAL

Received Consent/Authorization fee of -

Karmayogi Institute of Nursing

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	27500.00	TXN2211004487	30/11/2022	Online Payment

The balance fees of RS/- 15000/- will be considered at the time of renewal of CCA at next time.

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Solapur
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



[Handwritten Signature]
PRINCIPAL

Karmayogi Institute of Nursing
Shelve-Pandharpur

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	8	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.


PRINCIPAL

Karmayogi Institute of Nursing
Shelva-Pandharpur

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:


PRINCIPAL

Karmayogi Institute of Nursing
Shelva-Pandharpur

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	7.50		
		d) Expired or Discarded Medicines	0.50		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	5.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	25.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Bioclean Systems India Pvt. Ltd., Solapur Solapur
		b) Metallic body implants	1.00		

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Bioclean Systems india Pvt. Ltd., Solapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.


PRINCIPAL

6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.


PRINCIPAL

Karmayogi Institute of Nursing
Shelve-Pandharpur

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	15,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	15,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	15,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	15,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

[Signature]
PRINCIPAL

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.




PRINCIPAL

Karmayogi Institute of Nursing
Shelva-Pandharpur

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




PRINCIPAL
Karmayogi Institute of Nursing
Shelva-Pandharpur



सत्यमेव जयते

महाराष्ट्र शासन
सार्वजनिक आरोग्य विभाग
जिल्हा शल्य चिकित्सक कार्यालय, सोलापूर

प्रपत्र - सी
(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये

डॉ. श्री/श्रीमती डॉ. धीरज विरिश पाटील
यांचे समर्पण हॉस्पिटल, ६०/ब/५ भक्ती मार्ग, पंढरपूर जि. सोलापूर येथील
नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम घालविण्यास परवानगी देण्यात येत
आहे.

नोंदणी क्र. 33

प्रसुतीच्या रुग्णांकरिता : ००
तेवलेल्या खाटांची संख्या

नोंदणी दिनांक 05/04/2007

इतर रुग्णांकरिता वापरात : 50.
असलेल्या खाटांची संख्या

सर्टिफिकेट दिल्याचा दिनांक : 05/04/2007

सदरचे प्रमाणपत्र दिनांक : 31/03/2024 पर्यंत कार्यवाहीत राहिल.

जिल्हा शल्यचिकित्सक
तथा जिल्हा नर्सिंग ऑफिसर
सोलापूर

नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि.श.चि. स्वाक्षरी
	पासून	पर्यंत	
01/04/2024	01/04/2024	31/03/2024	जिल्हा शल्यचिकित्सक सोलापूर
28/03/2024	01/04/2024	31/03/2024	

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी दिसेल अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- जन्य मृत्यू नोंद संबंधित नगरपालिकेत वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- कुटुंब कल्याण (पु/सी) सराफाच्या आकडेवारी संबंधित उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग निडवार्ड्स अॅक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- बायोमेट्रीकल वेस्ट नियम १९९८ क्र. ३२ व ४९/२००६ चे पालन करणे बंधनकारक आहे.

PRINCIPAL

Karmayogi Institute of Nursing
Shelve-Pandharpur.



Registration Certificate

Offline QR

Online QR

Outward No. : SSS/SOL/CER/2025-26/435

Date : 03-Aug-2025

This is to certify that, Samarth Hospital, 60/B/5, Opp. Vitthal Rukmini Bhakti Niwas, Bhakti Marg, Pandharpur, Dist. Solapur. 413304 is registered with M/s. S S Services, for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- | | | |
|---|---|---------------------------------------|
| 1 | Authorized Person of HCE
(Name and Designation) | : Dr. Dhiraj Girish Patil
: Doctor |
| 2 | Bombay Nursing Home Act Registration Details | : 33 |
| | a. BNH Registration No | : 01-Apr-2024 |
| | b. BNH Issue Date | : 50 |
| | c. Total Number of Beds | : 31-Mar-2027 |
| | d. BNH validity (Form 'C') | |
| 3 | Common Treatment Facility Registration Details | : 05-Jan-2024 |
| | a. Date of Registration | : 50 |
| | b. No. of Beds Registered | : 01-Apr-2024 |
| | c. Issue Date | : 31-Mar-2026 |
| | d. Registration Validity | |
| 4 | Renewal of CTF Membership (if applicable) | : 31-Mar-2026 |
| | a. Renewal Date | : 50 |
| | b. No. of Beds | |
| 5 | MPCB Consents (Establish/ 1 st Operator/Renewal Details) | : 0000167619/CO/2308001333 |
| | a. Consent / CCA Number | : 21-Aug-2023 |
| | b. Issue Date | : 30-Apr-2028 |
| | c. Validity upto | |



S S Services
CBMWTF, Solapur

Authorized Signature

Name : Mr. Ashish Vilas Ghatge
Designation : Partner

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

(Signature)
PRINCIPAL
Karmayogi Institute of Nursing
Shelva-Pandharpur.